Printing date 04.07.2024

Revision: 04.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TOUCH-UP PAINT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Lacquer

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Prefa Aluminiumprodukte GmbH Werkstraße 1 3182 Marktl/Lilienfeld Austria T: +43 2762 502 0 Email: office.at@prefa.com

Further information obtainable from:

External: Matthias Thöne E-mail: mthoene@mipa.de

1.4 Emergency telephone number:

+43 2762 502 0 Available during office hours: Monday - Thursday: 07:00 - 12.00, 13:00 - 17:00 h Friday: 07:00 - 13:00 h

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
The product is not classified, according to the CLP regulation.
Additional information: For the wording of the hazard categories, see section 16.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 void
Hazard pictograms void
Signal word void
Hazard statements void
Additional information:
EUH210 Safety data sheet available on request.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: No data available.
vPvB: No data available.

acc. to Reg. (EC) No 1907/2006

Trade name: TOUCH-UP PAINT

Printing date 04.07.2024

Determination of endocrine-disrupting properties The product does not contain substances with endocrine-disrupting properties ≥ 0.1 %(w/w).

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

[% (w/w)]

CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-XXXX

2-(2-butoxyethoxy)ethanol 🕐 Eye Irrit. 2, H319

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of discomfort or doubt, seek medical advice,

If unconscious, use a stable lateral position and do not administer anything through mouth.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash with plenty of soap and water.

Seek medical treatment in case of complaints.

After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Seek medical treatment in case of complaints.

After swallowing:

Rinse mouth.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Depending on the condition of the patients, the doctor must assess the symptoms and the overall general condition.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

(Contd. on page 3)

Revision: 04.07.2024

(Contd. of page 1)

0.1 - < 2.5%

Version number 1.2 (replaces version 1.1)

Page 2/10

acc. to Reg. (EC) No 1907/2006

Printing date 04.07.2024

Version number 1.2 (replaces version 1.1)

Revision: 04.07.2024

Trade name: TOUCH-UP PAINT

(Contd. of page 2)

5.2 Special hazards arising from the substance or mixture No further relevant information available. **5.3 Advice for firefighters**

Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Restricted access to the affected area until cleaning work is completed.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Do not breathe vapour/spray.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid contact with skin and eyes.

Avoid breathing mist/vapours/spray.

Use personal protective equipment as required.

Observe protective measures and safety instructions.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles:

Store in dry conditions.

Store in accordance with local/regional/national/international regulations.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Recommended storage temperature: room temperature

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

acc. to Reg. (EC) No 1907/2006

Printing date 04.07.2024

Revision: 04.07.2024

Trade name: TOUCH-UP PAINT

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

OEL Short-term value: 101.2 mg/m³, 12 ppm Long-term value: 67.5 mg/m³, 10 ppm IOELV

Regulatory information OEL: 2024 CoP for the Safety, Health and Welfare at Work

DNELs

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

Oral	Long-term exposure - systemic effects	6.25 mg/kg bw/d (consumer)
Inhalative	Long-term exposure - local effects	67.5 mg/m³ (workers)
	short-term exposure - local effects	101.2 mg/m³ (workers)

PNECs

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

fresh water	1.1 mg/l			
sea water	0.11 mg/l			
intermittent release (fresh water)	11 mg/l			
sediment (fresh water)	4.4 mg/kg dw			
sediment (sea water)	0.44 mg/kg dw			
soil	0.32 mg/kg dw			
oral	56 mg/kg food			

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls

No further data; see section 7.

Technical measures and the use of suitable working methods take priority over the use of personal protective equipment.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

(Contd. on page 5)

acc. to Reg. (EC) No 1907/2006

Printing date 04.07.2024

Revision: 04.07.2024

Trade name: TOUCH-UP PAINT

(Contd. of page 4)

Respiratory protection:

If vapours/aerosols and/or inadequate ventilation are present, respiratory protection must be worn.

Hand protection

Wear protective gloves for prolonged or repeated handling.

EN 374

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Wear protective goggles if there is a risk of splashing.

EN 166

Body protection: Protective work clothing

Environmental exposure controls Do not allow to enter sewers/ surface or ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information		
Physical state	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	No information available.	
Melting point/freezing point:	No information available.	
Boiling point or initial boiling point and boiling		
range	100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	No information available.	
Upper:	No information available.	
Flash point:	Not applicable.	
Decomposition temperature:	No information available.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity at 20 °C	210 s (DIN 53211/4)	
Dynamic:	No information available.	
Solubility		
water:	Fully miscible.	

acc. to Reg. (EC) No 1907/2006

Printing date 04.07.2024

Version number 1.2 (replaces version 1.1)

Revision: 04.07.2024

Trade name: TC	UCH-UP PAINT
----------------	--------------

	(Contd. of page 5)
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.268 g/cm³ (DIN EN ISO 2811-1)
Vapour density	No information available.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	1
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Water:	46.3 %
VOC (EC)	3.43 %
Solids content:	49.6 %
Change in condition	
Softening point/range	
Oxidising properties	No information available.
Evaporation rate	No information available.
Information with regard to physical hazard	t de la constante de
classes	
Explosives	void
Flammable gases	void
Aerosols	void
Oxidising gases	void
Gases under pressure	void
Flammable liquids	void
Flammable solids	void
Self-reactive substances and mixtures	void
Pyrophoric liquids	void
Pyrophoric solids	void
Self-heating substances and mixtures	void
Substances and mixtures, which emit flammable	9
gases in contact with water	void
Oxidising liquids	void
Oxidising solids	void
Organic peroxides	void
Corrosive to metals	void
Desensitised explosives	void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

acc. to Reg. (EC) No 1907/2006

Printing date 04.07.2024

Version number 1.2 (replaces version 1.1)

Revision: 04.07.2024

Trade name: TOUCH-UP PAINT

(Contd. of page 6)

- 10.2 Chemical stability No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

Oral LD50 2,410 mg/kg (rat)

Dermal LD50 2,764 mg/kg (Rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

EC50 (48 h) (static) > 100 mg/l (daphnia) (Daphnia magna)

ErC50 (96 h) (static) > 100 mg/l (algae) (Scenedesmus subspicatus)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: No data available.

vPvB: No data available.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

acc. to Reg. (EC) No 1907/2006

Printing date 04.07.2024

Version number 1.2 (replaces version 1.1)

Revision: 04.07.2024

Trade name: TOUCH-UP PAINT

(Contd. of page 7)

12.7 Other adverse effects Additional ecological information: General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Only dispose of product residues via authorised companies according to local legislation.

European waste catalogue

Notes: The European Waste Catalogue (EWC) classifies waste materials and categorises them according to what they are and how they were produced. This may cause other classifications. The final decision belongs to the last user.

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR/RID/ADN, IMDG, IATA	not regulated	
14.2 UN proper shipping name		
ADR/RID/ADN, IMDG, IATA	not regulated	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	not regulated	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	not regulated	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according t	o IMO	
instruments	Not applicable.	
UN "Model Regulation":	not regulated	
-	-	(Contd. on

(Contd. on page 9)

IE —



acc. to Reg. (EC) No 1907/2006

Printing date 04.07.2024

Version number 1.2 (replaces version 1.1)

Revision: 04.07.2024

Trade name: TOUCH-UP PAINT

(Contd. of page 8)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H319 Causes serious eye irritation.

Training hints

Before handling, storage or use for the first time, employees must be informed about the properties of the substance and about measures taken to ensure safety and environmental protection.

Department issuing SDS:

UmEnA GmbH http://umena.at Email: office@umena.at Date of previous version: 27.06.2023 Version number of previous version: 1.1

acc. to Reg. (EC) No 1907/2006

Printing date 04.07.2024

Version number 1.2 (replaces version 1.1)

Revision: 04.07.2024

Trade name: TOUCH-UP PAINT

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

* Data compared to the previous version altered.

PREFA

(Contd. of page 9)

IE —